

Roboto Medium, 30pt/34pt

Roboto Regular, 12pt/14pt – 50% Black

Copy with Bullets – Roboto Regular, 9pt/12pt, 1.5 mm after – 50% Black

Tem fuga. Nusda nihillu ptatusdae. Um sectione coreptatum hil evelis si imeturehenis dellanda prest volent que conecte rectemquae rentiorepe nos re es pore min evenis es ilias est am verrumquia nonsequid molorepudis idissimi, quo et pelitae prati voles aut inci ommoloris incimus, susandi gniam, tesequid et re, qui cone velectota ea voluptist, sa consequaspit undamus, sit quaecto min consequo eos adiressi tem non nus aborum quid molesequos et, nus inis exceperia sunti reratem hitatibusam que ent.

- Bullets 6.35 mm indent
- Bullets 6.35 mm indent
- Bullets 6.35 mm indent
- Bullets 6.35 mm indent

Copy with Bullets – Roboto Regular, 9pt/12pt, 1.5 mm after – 50% Black

Eptatume renditaque pos ius denitatur, corrovit qui sanducit, aute pa qui aut ommodi qui sust que sed quatatur?

Headline - Roboto Regular, 12pt/14.4pt, 2 mm before, 1 mm after

Volorrum et volorep uditatem hariosa ntatatquo con eaquo el eost lantur? Quiandelent dolore sa accum haruntis que alis everiae ceaqui cupta dolorit, officaestia nis doluptam, cum voluptas recto te num ne pro expelitio ipsum et atqui volorem eos andereptibus dolupta.

Ab in conse ea sum nulpari orerias cus eossit aute labore videlibus rem. Ut quat.

Equae aspelist fuga. Quist eatione volorae volecup

Table Headline – Roboto Regular, 9pt/12pt	Typical Value	Unit	Test Method
Table Content – Roboto Regular, 9pt/12pt	123	xx	ASTM
Equae	123	xx	ASTM
Aspelist	123	xx	ASTM
Fuga	123	xx	ASTM
Quist	123	xx	ASTM
Eatione	123	xx	ASTM

Roboto Medium, 22pt/26pt, 2mm

Roboto Regular, 12pt/14pt – 50% Black

Equae aspelist fuga. Quist eatiōne volōrae volecup

Table Headline – Roboto Regular, 9pt/12pt	Typical Value	Unit	Test Method
Table Highlight – Roboto Bold, 9pt/12pt	123	xx	ASTM
Equae	123	xx	ASTM
Aspelist	123	xx	ASTM
Fuga	123	xx	ASTM

Table Headline – Roboto Regular, 9pt/12pt	Typical Value	Unit	Test Method
Equae	123	xx	ASTM
Table Highlight – Roboto Bold, 9pt/12pt			ASTM D1646
4mm indent Equae	123	xx	ASTM
Equae	123	xx	ASTM
Table Highlight – Roboto Bold, 9pt/12pt			ASTM D6601
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Table Highlight – Roboto Bold, 9pt/12pt			ASTM D6601
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM

Roboto Medium, 22pt/26pt, 2mm

Roboto Regular, 12pt/14pt – 50% Black

Table Headline – Roboto Regular, 9pt/12pt	Typical Value	Unit	Test Method
Equae	123	xx	ASTM
Table Highlight – Roboto Bold, 9pt/12pt			ASTM D1646
4mm indent Equae	123	xx	ASTM
Equae	123	xx	ASTM
Table Highlight – Roboto Bold, 9pt/12pt			ASTM D6601
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Table Highlight – Roboto Bold, 9pt/12pt			ASTM D6601
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM
Equae	123	xx	ASTM

Roboto Regular, 9pt/10.8pt
Roboto Regular, 12pt/14.5pt

Region
mail@solway.com

SOLVAY

Region
mail@solway.com

www.product-website.com

www.solway.com

Roboto Regular, 6 pt, 50% Black
Disclaimer: Solvay SA in its own name and on behalf of its affiliated companies (collectively, "Solvay") decline any liability with respect to the use made by anyone of the information contained herein. The information contained herein represents Solvay's best knowledge thereon without constituting any express or implied guarantee or warranty of any kind (including, but not limited to, regarding the accuracy, the completeness or relevance of the data set out herein). Nothing contained herein shall be construed as conferring any license or right under any patent or other intellectual property rights of Solvay or of any third party. The information relating to the products

is given for information purposes only. No guarantee or warranty is provided that the product and/or information is adapted for any specific use, performance or result and that product and/or information do not infringe any Solvay and/or third party intellectual property rights. The user should perform its own tests to determine the suitability for a particular purpose. The final choice of use of a product and/or information as well as the investigation of any possible violation of intellectual property rights of Solvay and/or third parties remains the sole responsibility of the user.

© 2024 Solvay Soda Ash & Derivatives. All rights reserved.